

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	231	((719/315).CCLS.) and (table with (reference or pointer or address or entry adj point))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:57
L2	205	1 AND (((@ad < "20000407") or (@prad < "20000407") or (@rlad < "20000407")))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:58
L3	338	(719/330).CCLS	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 15:57
L4	763	(719/315).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 15:57
L5	85	((719/330).CCLS.) and (table with (reference or pointer or address or entry adj point))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:57
L6	69	5 AND (((@ad < "20000407") or (@prad < "20000407") or (@rlad < "20000407")))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:01
L7	10	6 and jump	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:01
L8	1	jump adj table same multiprocessor	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L9	2	entry adj point with command same rpc	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L10	1	indirect adj reference adj word with command	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L11	1	control adj word with (event or command) with (pointer or address) and rpc	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L12	1	network adj processor same rpc	USPAT	OR	ON	2005/01/18 16:05

L13	1	reserv\$3 adj address with (trigger or handler or action or event) with (reference or pointer)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L14	1	entry adj point with word same remote	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L15	1	reserv\$3 adj (address or location) with processor same remote	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L16	1	global adj address same rpc	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L17	2	rpc same direct with entry	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L18	5	indirect\$3 adj referenc\$3 with (event or command) with (pointer or address)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L19	2	("5710923").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 16:05
L20	2	pointer adj3 (data or parameter) with pointer adj3 (function or procedure) and rpc	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L21	2	software adj jump same remote	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L22	2	reserv\$3 adj address same (remote with procedure)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L23	2	(remote or external) near call same indirect\$3 with reference	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L24	2	("6519594").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 16:05
L25	2	reserv\$3 adj (address or location) with processor same network	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05

L26	2	remote adj procedure adj call same (jump)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L27	2	(processor or cpu) with reserv\$3 near address same (jump or entry adj point)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L28	4	multiprocessor same network adj processor and rpc	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L29	4	jump adj table same descriptor	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L30	3	address with (trigger or handler or action or event) with (reference or pointer) same remote same network	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L31	4	message with table near (location or address) same remote same call	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L32	3	message adj5 (pointer or reference or location) with rpc	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L33	10	address near3 compris\$3 near3 (instruction or command) and rpc	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L34	4	thread adj descriptor same multiprocessor	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L35	4	jump adj table same process\$3 same remote	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L36	6	message adj5 (contain\$3 or includ\$3) adj5 (location or pointer or address) same rpc	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L37	8	indirect with software with jump	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L38	10	local adj parameter same pointer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05

L39	8	known with reserved adj address	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L40	9	multiprocessor same reserv\$3: adj address	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L41	10	reference with command with (address or pointer) and rpc	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L42	12	entry adj point with word same network	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L43	12	requestor with know with address	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L44	9	index adj reference adj word	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L45	10	control adj word with (event or command) with (pointer or address) same network	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L46	10	thread adj descriptor and multiprocessor	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L47	10	network adj processor same remote with call	USPAT	OR	ON	2005/01/18 16:05
L48	11	network adj processor same address same remote same call	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L49	12	indirect adj reference adj word	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L50	12	indirect adj reference adj word	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L51	14	message adj5 (pointer or reference or location) same rpc	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L52	15	srw	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05

L53	18	(entry adj point same network near3 processor) not (entry adj point same network adj processor)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L54	19	(return or get) adj (address or reference or pointer) same RPC	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L55	36	(simple adj object adj access adj protocol).ti.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L56	23	rpc same multiprocessor	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L57	27	rpc same multi adj process\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L58	22	jump adj (table or vector) same network	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L59	22	entry adj point same network adj processor	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L60	25	reference adj word with command	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L61	30	address adj3 encod\$3 adj3 (instruction or command) and network	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L62	28	entry adj point same indirect\$3 with reference	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L63	30	rpc with message with (address or location)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L64	28	thread adj descriptor	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L65	31	rpc with entry adj point	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05

L66	26	((processor or cpu) with reserv\$3 near address) and (((@ad < "20000407") or (@prad < "20000407") or (@riad < "20000407")) and (jump or entry adj point)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L67	37	rpc same bind\$3 same entry	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L68	33	address with command with pointer and rpc	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L69	33	remote with procedure with call same table with (pointer or entry or reference)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L70	37	remote adj procedure adj call same (processor or cpu) with address	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L71	40	entry adj point same network near3 processor	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L72	56	jump adj table and rpc	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L73	48	external adj procedur\$3 adj call	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L74	44	reserv\$3 adj address with processor	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L75	44	reserv\$3 adj address with processor	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L76	63	multiprocessor same network adj processor	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L77	46	((processor or cpu) with reserv\$3 near address) and (((@ad < "20000407") or (@prad < "20000407") or (@riad < "20000407")) and network	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L78	61	remote with procedure with call and control adj word	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05

L79	55	jump adj table with processor	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L80	73	(instruction or command) adj3 encod\$3 adj3 address and network	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L81	50	remote adj procedure adj call same processor near (network or element or unit)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L82	56	jump: adj (table or vector) and: rpc	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L83	95	address adj3 compris\$3 adj3 (instruction or command) and network	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L84	74	reserv\$3 adj2 address with (handle or pointer or reference)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L85	81	jump adj (table or vector) with processor	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L86	75	rpc with transparen\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L87	95	reference with command with (address or pointer) and multiprocessor and network	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L88	101	entry adj point same procedure adj call	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L89	95	reserv\$3 adj (address or location) with processor	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L90	112	software adj jump	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L91	96	((processor or cpu) with reserv\$3 near address) and ((@ad < "20000407") or (@prad < "20000407") or (@rlad < "20000407"))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05

L92	118	pointer adj2 (data or parameter) with pointer adj2 (function or procedure)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L93	123	entry adj point same network with processor	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L94	129	control adj word with (event or command) with (pointer or address) and network	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L95	126	(processor or cpu) with reserv\$3 near address	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L96	146	processor with remote with call same (reference or pointer or handle or address)	USPAT	OR	ON	2005/01/18 16:05
L97	193	address adj3 compris\$3 adj3 (instruction or command)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L98	187	table with (function or method or procedure) adj name with (pointer or reference or entry or address)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L99	184	processor with remote adj procedure adj call	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L100	212	message with table near (location or address) same network	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L101	193	reference with command with (address or pointer) and multiprocessor	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05
L102	258	pointer adj3 (data or parameter) with pointer adj3 (function or procedure)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:05



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used jump and instruction and rpc

Found 53 of 148,786

Sort results by

[Save results to a Binder](#)[Try an Advanced Search](#)

Display results

[Search Tips](#)[Try this search in The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 53

Result page: [1](#) [2](#) [3](#) [next](#)Relevance scale ☐ ☐ ☐ ☐ ☐

- 1 [Specialization tools and techniques for systematic optimization of system software](#)
 Dylan McNamee, Jonathan Walpole, Calton Pu, Crispin Cowan, Charles Krasic, Ashvin Goel,
 Perry Wagle, Charles Consel, Gilles Muller, Renauld Marlet
 May 2001 **ACM Transactions on Computer Systems (TOCS)**, Volume 19 Issue 2

Full text available: [pdf\(178.52 KB\)](#)
 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


- 2 [Optimizing ML with run-time code generation](#)
 Peter Lee, Mark Leone
 May 1996 **ACM SIGPLAN Notices , Proceedings of the ACM SIGPLAN 1996 conference on Programming language design and implementation**, Volume 31 Issue 5

Full text available: [pdf\(1.34 MB\)](#)
 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


- 3 [Object and native code thread mobility among heterogeneous computers \(includes sources\)](#)
 B. Steensgaard, E. Jul
 December 1995 **ACM SIGOPS Operating Systems Review , Proceedings of the fifteenth ACM symposium on Operating systems principles**, Volume 29 Issue 5

Full text available: [pdf\(1.50 MB\)](#)
 Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)


- 4 [Sharing and protection in a single-address-space operating system](#)
 Jeffrey S. Chase, Henry M. Levy, Michael J. Feeley, Edward D. Lazowska
 November 1994 **ACM Transactions on Computer Systems (TOCS)**, Volume 12 Issue 4

Full text available: [pdf\(2.87 MB\)](#)
 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


- 5 [Distributed systems - programming and management: On remote procedure call](#)
 Patricia Gomes Soares
 November 1992 **Proceedings of the 1992 conference of the Centre for Advanced Studies on Collaborative research - Volume 2**

Full text available: [pdf\(4.52 MB\)](#)
 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)


- 6 [Efficient Java RMI for parallel programming](#)
 November 2001 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 23 Issue 6


Full text available: [pdf\(352.63 KB\)](#)
 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)


- 7 [Intrusion detection: Randomized instruction set emulation to disrupt binary code](#)




injection attacks

Elena Gabriela Barrantes, David H. Ackley, Trek S. Palmer, Darko Stefanovic, Dino Dai Zovi
 October 2003 **Proceedings of the 10th ACM conference on C mputer and
 c mmunications security**

Full text available:  pdf(160.71 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


8 Distributed operating systems

Andrew S. Tanenbaum, Robbert Van Renesse
 December 1985 **ACM Computing Surveys (CSUR)**, Volume 17 Issue 4

Full text available:  pdf(5.49 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)


9 Programming languages and systems for prototyping concurrent applications

Wilhelm Hasselbring
 March 2000 **ACM Computing Surveys (CSUR)**, Volume 32 Issue 1

Full text available:  pdf(559.78 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)


10 Remote evaluation

James W. Stamos, David K. Gifford
 October 1990 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,
 Volume 12 Issue 4

Full text available:  pdf(2.52 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)


11 Models and languages for parallel computation

David B. Skillicorn, Domenico Talia
 June 1998 **ACM Computing Surveys (CSUR)**, Volume 30 Issue 2

Full text available:  pdf(298.05 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

12 Supporting dynamic data structures on distributed-memory machines

Anne Rogers, Martin C. Carlisle, John H. Reppy, Laurie J. Hendren
 March 1995 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,
 Volume 17 Issue 2

Full text available:  pdf(2.05 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

13 A survey of customizability in operating systems research

G. Denys, F. Piessens, F. Matthijs
 December 2002 **ACM Computing Surveys (CSUR)**, Volume 34 Issue 4

Full text available:  pdf(149.83 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


14 Exokernel: an operating system architecture for application-level resource management

D. R. Engler, M. F. Kaashoek, J. O'Toole
 December 1995 **ACM SIGOPS Operating Systems Review , Proceedings of the fifteenth
 ACM symposium on Operating systems principles**, Volume 29 Issue 5

Full text available:  pdf(2.16 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

15 Hardware Support: Heads and tails: a variable-length instruction format supporting parallel fetch and decode

Heidi Pan, Krste Asanović
 November 2001 **Pr ceedings f the 2001 internati nal conference n C mpilers,
 architecture, and synthesis for embedded systems**

Full text available:  pdf(179.93 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Session 4: WORM vs. WORM: preliminary study of an active counter-attack mechanism


Frank Castaneda, Emre Can Sezer, Jun Xu

October 2004 **Proceedings of the 2004 ACM Workshop on Rapid Malcode**Full text available:  pdf(289.95 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)**17** A language-based approach to protocol implementation

Mark B. Abbott, Larry L. Peterson

February 1993 **IEEE/ACM Transactions on Networking (TON)**, Volume 1 Issue 1Full text available:  pdf(1.88 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#), [review](#)**18** Performance of the Firefly RPC

Michael D. Schroeder, Michael Burrows

February 1990 **ACM Transactions on Computer Systems (TOCS)**, Volume 8 Issue 1Full text available:  pdf(1.35 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)**19** Reasoning about code mobility with mobile UNITY

Gian Pietro Picco, Grigora Catalin Roman, Peter J. McCann

July 2001 **ACM Transactions on Software Engineering and Methodology (TOSEM)**, Volume 10 Issue 3Full text available:  pdf(419.80 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)**20** Columns: Risks to the public in computers and related systems



Peter G. Neumann

November 2003 **ACM SIGSOFT Software Engineering Notes**, Volume 28 Issue 6Full text available:  pdf(124.63 KB) Additional Information: [full citation](#)

Results 1 - 20 of 53

Result page: [1](#) [2](#) [3](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

Find: [Documents](#)[Citations](#)Searching for **jump and instruction and rpc**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)24 documents found. **Order: number of citations.**[Market-based Resource Control for Mobile Agents - Bredin, Kotz, Rus \(1998\) \(Correct\) \(28 citations\)](#)

It can suspend its execution at an arbitrary point, **jump** to another machine and resume execution on the new of data. D'Agents reduces migration to a single **instruction**, provides simple communication among agents, because agents are easier to write than message- or **RPC**-based applications, their autonomy makes them well actcomm.dartmouth.edu/papers/bredin:market.ps.Z

[Transportable Information Agents - Rus, Gray, Kotz \(1996\) \(Correct\) \(26 citations\)](#)

itself from other systems by combining a true **jump instruction** (one that automatically captures the from other systems by combining a true **jump instruction** (one that automatically captures the complete of remote computation. Remote Procedure Call (**RPC**) 2] was an early form of remote client-server www.cs.dartmouth.edu/~rus/papers/agents/jiis.ps.Z

[Agent Tcl - Gray, Cybenko, Kotz, Rus \(1995\) \(Correct\) \(19 citations\)](#)

site. Migration is accomplished with the agent **jump** command, which can appear anywhere within an with detailed documentation and installation **instructions** in subdirectory doc)Then we present of the base facilities. The first is analogous to **RPC** (Remote Procedure Call) NCK96]the second is a agent.cs.dartmouth.edu/papers/.gray:bookchap.ps.gz

[Autonomous and Adaptive Agents that Gather Information - Rus, Gray, Kotz \(1996\) \(Correct\) \(14 citations\)](#)

to a new machine at any time. It issues the agent **jump** command, which suspends script execution, captures Tcl [Gra95] will reduce migration to a single **instruction**, provide transparent communication among of remote computation. Remote Procedure Call (**RPC**) BN84] was an early form of remote client-server www.cs.dartmouth.edu/~rus/papers/agents/iaa.ps.Z

[OO-Agents and Messengers - Tschudin \(1995\) \(Correct\) \(5 citations\)](#)

to provide compatibility at the binary level)jump trap messenger control plane resources) coding, messengers are simple packets of **instruction** sequences. These packets are received by the from the programmer the presence of a network. The **RPC** metaphor is one example, another one are cui.unige.ch/pub/tios/papers/ecoop95-w10.ps.Z

[A New Protection Model for Component-Based Operating Systems - Law, McCann \(2000\) \(Correct\) \(3 citations\)](#)

based on the **instruction** type. E.g. JMP 50 will **jump** to oset 50 of the current code segment (linear be prevented from executing certain privileged **instructions** (e.g.disabling interrupts, since this would we show that Go! oers fully protected round-trip **RPC** in just 85 cycles on the Pentium, and the single www.cs.city.ac.uk/~gel/go/download/ipccc2000.ps.gz

[Linux Parallel Processing HOWTO - Dietz \(1998\) \(Correct\) \(3 citations\)](#)

SCSI, etc. If that's all you are interested in, **jump** to section 6.2 otherwise, read on. 1.2 systems, parallel execution using multimedia **instructions** (i.e.MMX)and attached (parallel) :53 3.7.2 DFN-**RPC** (German Research Network -Remote Procedure Call) www.fokus.gmd.de/linux/HOWTO/ps/Parallel-Processing-HOWTO.ps.gz

[Agent Tcl: Alpha Release 1.1 - Robert Gray Department \(1995\) \(Correct\) \(1 citation\)](#)

This migration is accomplished with the agent **jump** command. agent **jump** captures the current state of An agent written in Telescript uses the go **instruction** to migrate to a new machine. The agent techniques such as remote evaluation and SUPRA-**RPC** allow a program to migrate to the resource as agent.cs.dartmouth.edu/pub/agents/doc.1.1.ps.gz

[An Efficient, Protected Message Interface - Lee, al. \(1998\) \(Correct\) \(1 citation\)](#)

system dispatches messages asynchronously within a **jump** delay (of three cycles) upon arrival. Injection as if they are part of the memory, while **instruction/register**-mapped interfaces integrate tightly time between two nodes Remote Procedure Call (**RPC**)which measures the time it takes to send an www.cs.utexas.edu/users/skeckler/pubs/ieeecomputer98.pdf

[Nanokernel Architecture - Alan Bomberger \(Correct\) \(1 citation\)](#)

shutdown period is visible only as an unexplained **jump** in the value of the real time clock, if at all. As

includes files, programs, program variables, **instruction** counters, I/O status, and any other a reply. Messages are most commonly exchanged in an **RPC**-like fashion. What sets KeyKOS apart from other
www.cis.upenn.edu/~KeyKOS/NanoKernel/NanoKernel.ps.gz

Unknown - (Correct)

should think of the **RPC** protocol as the **jump-subroutine instruction** (JSR"of a network the think of the **RPC** protocol as the **jump-subroutine instruction** (JSR"of a network the loader (binder) Inc. Request for Comments: 1050 April 1988 **RPC**: Remote Procedure Call Protocol Specification
www.tzi.de/~cabo/pdf/rfc/rfc1050.txt.pdf

Network Working Group Sun Microsystems, Inc. Request For.. - Rpc Remote Procedure (Correct)

Implementors could think of the **RPC** protocol as the **jump-subroutine instruction** (JSR"of a network the think of the **RPC** protocol as the **jump-subroutine instruction** (JSR"of a network the loader (binder) For Comments: 1057 June 1988 Obsoletes: RFC 1050 **RPC**: Remote Procedure Call Protocol Specification
www.tzi.de/~cabo/pdf/rfc/rfc1057.txt.pdf

First 20 documents Next 20

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)